




AMPLIFi 30

PILOT'S GUIDE ►

**MANUEL DE PILOTAGE
PILOTENHANDBUCH
MANUAL DEL PILOTO
パイロット・ガイド
新手指南**

Important Safety Instructions



CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN



WARNING : TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT REMOVE SCREWS. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

WARNING : TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THE APPLIANCE TO RAIN OR MOISTURE.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



The lightning symbol within a triangle means “electrical caution!” It indicates the presence of information about operating voltage and potential risks of electrical shock.



The exclamation point within a triangle means “caution!” Please read the information next to all caution signs.

Please Note: Line 6 and AMPLIFI are trademarks of Line 6, Inc., registered in the U.S. and other countries. All rights reserved. iPod touch®, iPhone® and iPad® are trademarks of Apple, Inc. registered in the U.S. and other countries. App StoreSM is a service mark of Apple, Inc. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Line 6 is under license. Android is a trademark of Google, Inc.



You should read these Important Safety Instructions. Keep these instructions in a safe place



- Read these instructions.
- Keep these instructions.
- Heed all warnings.
- Follow all instructions.
- Do not use this apparatus near water.
- Clean only with dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- This apparatus shall be connected to a MAINS socket outlet with a protective earthing connection.
- Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- Only use attachments/accessories specified by the manufacturer.
- Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
- Unplug this apparatus during lightning storms or when unused for long periods of time.
- The apparatus shall not be exposed to dripping or splashing and no objects filled with liquids, such as vases, shall be placed on the apparatus.
- WARNING: To reduce the risk of fire or electric shock do not expose this apparatus to rain or moisture.
- The appliance coupler is used as the disconnect device, the disconnect device shall remain readily operable.
- Connect only to AC power outlets rated: 100/120V 220/240V 50/60Hz (depending on the voltage range of the included power supply).
- Prolonged listening at high volume levels may cause irreparable hearing loss and/or damage. Always be sure to practice "safe listening."
- Service is required when the apparatus has been damaged in any way, such as:
 - power-supply cord or plug is damaged.
 - liquid has been spilled or objects have fallen into the apparatus.
 - the unit has been exposed to rain or moisture.
 - the unit is dropped or the enclosure is damaged.
 - the unit does not operate normally or changes in performance in a significant way.



THE GUITAR AMP, REINVENTED

AMPLiFi is more than an amp. It's an entirely new guitar experience.


You can stream music wirelessly from any Bluetooth® enabled device directly to the amp—perfect for jamming, playing songs at rehearsals and cranking up the volume on your music library.

At the center of the AMPLiFi world is a breakthrough iOS app that lets you wirelessly control your guitar rig, automatically delivers tones that match your music library, and connects you to an online community of guitarists.

AMPLiFi 30 Features:

- Desktop guitar amp
- Bluetooth streaming audio device (compatible with Android™, iOS and Mac® or PC)
- Stereo design delivers incredible sound quality when playing back music
- AMPLiFi Remote app
- Wirelessly control and deep edit every aspect of your guitar rig
- Automatic tone-matching instantly delivers tones that match your music library selection
- Create, share, download and rate unlimited tones with the AMPLiFi community
- Made for iPhone® 6 Plus, iPhone 6, iPhone 5s, iPhone 5c, iPhone 5, iPhone 4S, iPad® Air 2, iPad Air, iPad mini 3, iPad mini 2, iPad mini, iPad (4th generation), iPad (3rd generation), iPad 2, iPod® touch (5th generation). Compatible with Android devices running OS v4.2 or better.

Top Panel Controls



1. **Power** - Switch on the power with this rocker switch, located just above the AC cable receptacle. To reset to Factory settings, press and hold Master Volume knob and Tone button at power up.

2. **Bluetooth® Pairing Button** - Using Bluetooth, your AMPLIFi amp will communicate wirelessly with your iOS device. Before you run the **AMPLIFi Remote** app, set up Bluetooth as follows:

To pair your amp with your iOS device:

- Enter Pairing Mode by pressing the Bluetooth button - it will flash.
- Your amp's unique name will appear on your iOS device.
- Select your amp's unique name - this pairs it up with your device!

3. **Guitar Input** - Plug in your 1/4 inch guitar cable here. Run the AMPLIFi amp in standalone mode or with the **AMPLIFi Remote** app.

4. **Tone Controls** - When using **AMPLIFi Remote** with your iOS device, all Tone adjustments can be made using the app Editor. You can also tweak your guitar sound manually with these onboard Tone controls:

DRIVE: Adjusts the current Amp Model's Drive level.


BASS, MID, TREBLE: Adjusts the Bass, Mid and Treble levels for the current Amp Model's tone stack.

FX: Adjusts the FX parameter saved with the preset and selected in the **AMPLIFi Remote** application.

REVERB: Adjusts the Reverb level for the current Guitar Preset.

5. **Master Volume Knob** - This big knob controls the overall output level of your AMPLIFi amp. It also has a **Secondary Function** of adjusting your guitar level relative to the overall audio mix. This can be useful when you're jamming to a track and your guitar level is too soft or too loud.

To achieve a good balance, simply press the Master Volume knob to activate its Secondary Function, then set your guitar level as desired. After 5 seconds, the knob reverts to Master Volume control.



Master Volume LED Ring

Master Volume LED Ring - The ring of LEDs surrounding the Master Volume knob light up in various ways, depending on the current parameter being adjusted, as follows:

- Master Volume: LEDs are lit red to indicate Master Volume level.
 - Guitar Level: When the Secondary Function is activated via knob press, all LEDs are lit white; as your guitar level is adjusted, LEDs are lit red.
 - Tone Controls: When an individual Tone Control is adjusted, the saved level is indicated in red; all other LEDs are lit white to display the current level as you turn the knob.
6. **Preset Select Button** - There are 4 onboard Presets stored in your AMPLIFi amp's internal memory: Presets **A**, **B**, **C** and **D**. These can be overwritten at any time, replaced by up to 4 **Favorite** Presets.



Preset Select and Tap Tempo Buttons


To Recall A Preset: Press the Preset Select Button repeatedly to cycle through the A, B, C and D Presets. The white LEDs will indicate your current selection.

To Save A Favorite Preset:

- Press and hold the Preset Select Button; Preset A's LED will flash.
- Press the button repeatedly to cycle through the Preset slots.
- When the desired Preset slot is selected, press and hold the Preset Select Button for 2 seconds.
- Your Preset will be saved as a Favorite in the selected slot.

7. **Tap Tempo Button** - Pressing the **TAP Tempo** button a few times sets the tempo of Delays and other FX that have a Tap Tempo feature.


Tuner Mode - Press and hold the **TAP** button for a few seconds to enter **Tuner Mode**. When you play a note on your guitar, the tuner will detect it automatically. LEDs light up to the left center of the LED ring when your note is flat, and to the right of center when it's sharp. When the top center LED is lit, your note is in tune. Touch any knob or button to exit Tuner Mode.



Tuner LED Indicators

8. **Headphones** - Plug in your 1/4 inch stereo headphone cable here. Headphone volume is controlled by the Master Volume knob.

Rear Panel Connections



8. **Aux Input** - Plug an external mixer or other device into the 1/8 inch Aux Input for connecting a mic, keyboard or other instrument.
9. **FBV Input** - Plug in a Line 6 FBV Express or FBV Shortboard MkII here. The following FBV functionality is supported:
 - Preset A B C D select
 - Tap Tempo and Tuner
 - Expression pedal control of assigned parameters
10. **USB Input** - For future use.
11. **Power** - Supply power using the included 9VDC power adaptor.

AMPLiFi Remote Application For iOS

Download the latest version of the free **AMPLiFi Remote** iOS application in the App StoreSM.

While you're online, don't forget to register your AMPLiFi amp!

AMPLiFi Remote Application For Android

Download the latest version of the free **AMPLiFi Remote** Android application in the Google PlayTM store.

While you're online, don't forget to register your AMPLiFi amp!

AMPLiFi Firmware Updates

Always run the latest firmware in your AMPLiFi amplifier. Your **AMPLiFi Remote** application will inform you whenever a firmware update is available, so you'll always know you have the latest version!



Line 6, Inc.:
26580 Agoura Road,
Calabasas, CA 91302-1921 USA